06-18-07

Express Mail: EV654847303US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

pplication of:

Zeldis

Confirmation No.:

3548

Serial No.:

10/531,552

Art Unit:

1617

Filed:

April 13, 2005

Examiner:

Wang, Shengjun

For:

METHODS OF USING AND COMPOSITIONS COMPRISING SELECTIVE CYTOKINE

SELECTIVE CYTOKINE INHIBITORY DRUGS FOR THE TREATMENT AND MANAGEMENT

**OF MYELODYSPLASTIC** 

**SYNDROMES** 

Attorney Dkt No.: 9516-075-999

(CAM: 501872-999074)

## INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. §1.56 AND §1.97

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In accordance with the duty of disclosure imposed by 37 C.F.R. § 1.56 and §1.97 to inform the Patent Office of all references coming to the attention of each individual associated with the filing or prosecution of the subject application, which are or may be material to the patentability of any claim of the application, Applicants hereby direct the Examiner's attention to references A1-A104, B1-B11 and C1-C107 listed on the attached form PTO 1449 entitled "List of References Cited by Applicant."

Identification of the listed reference is not to be construed an admission of Applicant or Attorneys for Applicant that such references are available as "prior art" against the subject application. Applicant respectfully requests that the Examiner review the foregoing references and that the references be made of record in the file history of the application. Should any fee be required, please charge such fee to Jones Day Deposit Account No. 50-3013.

Date: June 15, 2007

Yean-Sil Moon

For: Anthony M. Insogna

JONES DAY

222 East 41<sup>st</sup> Street

New York, New York 10017

Respectfully submitted,

(212) 326-3939

**Enclosures** 

Sheet 1 of 7

Application No.: 10/531,552

ATTY DOCKET NO. APPL 9516-075-999 10/3

APPLICATION NO 10/531,552

APPLICANT

Zeldis

FILING DATE
April 13, 2005

GROUP 1617

## **U.S. PATENT DOCUMENTS**

(Use several sheets if necessary)

JUN 1 5 2007

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A01	2001/0056114	12/27/01	D'Amato			-
	A02	2002/0035090	3/21/02	Zeldis et al.			
	A03	2002/0052398	5/2/02	D'Amato			
-	A04	2002/0054899	5/9/02	Zeldis			
	A05	2002/0061923	5/23/02	D'Amato			
	A06	2002/0161023	10/31/02	D'Amato			
	A07	2002/0173658	11/21/02	Muller et al.			
	A08	2002/0183360	12/5/02	Muller et al.			
· <u>-</u> -	A09	2003/0028028	2/6/03	Man et al.			
	A10	2003/0045726	3/6/03	Muller			
	A11	2003/0069428	4/10/03	Muller et al.			
	A12	2003/0139451	7/24/03	Shah et al.			
	A13	2003/0144325	7/31/03	Muller et al.			
	A14	2003/0181428	9/25/03	Green et al.			
	A15	2003/0187024	10/2/03	D'Amato			
	A16	2003/0187052	10/2/03	Muller et al.			
	A17	2003/0191098	10/9/03	D'Amato			
	A18	2003/0235909	12/25/03	Hariri et al.		<del></del>	
	A19	2004/0019106	1/29/04	Muller et al.		<u> </u>	
	A20	2004/0029832	2/12/04	Zeldis			
	A21	2004/0006096	1/8/04	Muller et al.			
	A22	2004/0077685	4/22/04	Figg et al.			
,	A23	2004/0077686	4/22/04	Dannenberg et al.			
	A24	2004/0087546	5/6/04	Zeldis			
	A25	2004/0091455	5/13/04	Zeldis			
	A26	2004/0122052	6/24/04	Muller et al.			
	A27	2004/0147588	7/29/04	Man et al.			
	A28	2004/0167199	8/26/04	Muller et al.		<u> </u>	
	A29	2004/0167174	8/26/04	Man et al.		<del> </del>	
	A30	2004/0259873	12/23/04	Man et al.			
	A31	2005/0014727	1/20/05	Muller et al.			
	A32	2003/0114516	6/19/03	Muller et al.			
	A33	2006/0084815	4/20/06	Muller et al.			
	A34	2006/0025457	2/2/06	Muller et al.			
	A35	6,844,359	1/18/05	Muller			
	A36	6,699,899	3/2/04	Man et al.			1

Sheet 2 of 7 Application No.: 10/531,552

A37 6,673,828 1/6/04 Green et al. A38 6,667,316 12/23/04 Man et al. A39 6,656,964 12/2/03 Muller et al. A40 6,518,298 2/11/03 Green et al. 2/11/03 Muller et al. A41 6,518,281 11/12/02 A42 6,479,554 Muller et al. 10/22/02 D'Amato A43 6,469,045 6,429,221 8/6/02 Muller et al. A44 A45 6,420,414 7/16/02 D'Amato A46 6,326,388 12/4/01 Man et al. 9/4/01 A47 6,284,780 Muller et al. 6,262,101 7/17/01 Muller et al. A48 5/8/01 A49 6,228,879 Green et al. A50 6,225,348 5/1/01 Paulson 4/17/01 A51 6,218,369 Bombardelli et al. A52 6,214,857 4/10/01 Muller et al. A53 6,200,987 3/13/01 Muller 1/30/01 A54 6,180,644 Muller et al. 10/10/00 Muller et al. A55 6,130,226 Muller 6,075,041 6/13/00 A56 4/4/00 A57 6,046,221 Muller et al. 1/4/00 A58 6,020,358 Muller et al. 6,015,803 1/18/00 Wirostko A59 A60 6,011,050 1/4/00 Muller et al. A61 6,001,368 12/14/99 Jenks 5,968,945 10/19/99 A62 Muller et al. 5,929,117 7/27/99 Muller et al. A63 A64 5,877,200 3/2/99 Muller A65 5,801,195 9/1/98 Muller et al. 5,770,589 6/23/98 Billson A66 4/7/98 5,736,570 Muller A67 3/31/98 5,733,566 A68 Lewis 5,728,845 3/17/98 Muller A69 A70 5,728,844 3/17/98 Muller A71 5,712,291 1/27/98 D'Amato A72 5,703,098 12/30/97 Muller 5,698,579 12/16/97 Muller A73 A74 10/7/97 5,674,533 Santus et al. A75 5,658,940 8/19/97 Muller et al. A76 7/1/97 Andrulis et al. 5,643,915 A77 5,639,476 6/17/97 Oshlack et al. 5/27/97 A78 5,632,984 Wong et al. 2/25/97 A79 5,605,914 Muller 5,591,767 1/7/97 Mohr et al. A80 A81 5,580,755 12/3/96 Souza

Application No.: 10/531,552

					Application No., 10/331,332
	A82	5,528,823	6/25/96	Rudy et al.	
	A83	5,463,063	10/31/95	Muller	
	A84	5,393,870	2/28/95	Deeley et al.	
	A85	5,391,485	2/21/95	Deeley et al.	
	A86	5,385,901	1/31/95	Kaplan et al.	
	A87	5,354,556	10/11/94	Sparks et al.	
	A88	5,288,487	2/22/94	Kawashima et al.	
	A89	5,229,496	7/20/93	Deeley et al.	
<u>.</u>	A90	5,134,127	7/28/92	Stella et al.	
	A91	5,120,548	6/9/92	McClelland et al.	
:	A92	5,073,543	12/17/91	Marshall et al.	
	A93	5,059,595	10/22/91	LeGrazie	
	A94	4,999,291	3/12/91	Souza	
	A95	4,810,643	3/7/89	Souza	
	A96	4,008,719	2/22/77	Theeuwes et al.	
	A97	3,916,899	11/4/75	Theeuwes et al.	
	A98	3,845,770	11/5/74	Theeuwes et al.	
	A99	3,598,123	8/10/71	Zaffaroni	
-	A100	3,536,809	10/27/70	Applezweig	
	A101	7,173,058	2/6/07	Muller et al.	
	A102	6,962,940	11/8/05	Muller et al.	
	A103	6,911,464	6/28/05	Man et al.	
-	A104	7,034,052	4/25/06	Muller et al.	

## FOREIGN PATENT DOCUMENTS

 	DOCUMENT NUMBER	DATE	COUNTRY	CLASS S	UBCLASS	TRANSL	ATION
						YES	NO
 B01	WO 03/080049	10/2/03	PCT				
 B02	WO 03/080048	10/2/03	PCT				
B03	WO 01/87307	11/22/01	PCT				<b>†</b>
 B04	WO 01/87306	11/22/01	PCT				
B05	WO 01/45702	6/28/01	PCT				
B06	WO 01/34606	5/17/01	PCT				
 B07	WO 99/06041	2/11/99	PCT				
B08	WO 97/23457	7/3/97	PCT				1
B09	WO 97/08143	3/6/97	PCT			-	<del>                                     </del>
B10	WO 95/01348	1/12/95	PCT				<del>                                     </del>
Bii	JP 11-286455	10/19/99	Japan				<del> </del>

	OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
Co	Beazley et al., 1985, "Malignant stricture at the confluence of the biliary tree: diagnosis and management," Surg. Annu. 17:125-41
C	Bellamy et al., 2001, "Vascular endothelial cell growth factor is an autocrine promoter of abnormal localized immature myeloid precursors and leukemia progenitor formation in myelodysplastic syndromes," Blood 97:1427-1434
C	Bennett et al., 1985, "Proposed revised criteria for the classification of acute myeloid leukemia. A report of the French-American-British Cooperative Group," Ann. Intern. Med. 103(4):620-625
C	Bennett et al., 1982, "Proposals for the classification of the myelodysplastic syndromes," Br. J. Haematol. 51:189-199

Sheet 4 of 7 Application No.: 10/531,552

		Application No.: 10/531,552
	C05	Besa, 1992, "Myelodysplastic syndromes (refractory anemia). A perspective of the biologic, clinical, and therapeutic issues," <i>Med. Clin. North Am.</i> 76(3):599-617
(	C06	Besa et al., 1990, "Erythroid response of severely anemic or transfusion-dependent patients with myelodysplastic syndrome to recombinant human erythropoietin (EPO) does not correlate with baseline serum EPO levels," Blood 76(10 Supp. 1):133a Abstract 521
	C07	Bowen et al., 1991, "The treatment of anaemia in the myelodysplastic syndromes with recombinant human erythropoietin," Br. J. Haematol. 77(3):419-423
	C08	Bumm et al., 2003, "Emergences of clonal cytogenic abnormalities in pH- cells in some CML patients in cytogenic remission to imatinib but restoration of polyclonal hematopoiesis in the majority." Blood 101:1941-1949
	C09	Cancer Therapy Evaluation Program, 1998, "Common toxicity criteria," Version 2.0, Bethesda, MD: Division of Cancer Treatment and Diagnosis, National Institutes of Health, March, 1998. (Accessed June 13, 2007, at http://ctep.cancer.gov/reporting/ctc.html.)
	C10	Cartensen, 1995, Drug Stability: Principles & Practice, 2nd ed., Marcel Dekker, New York, NY pp. 379-380
	C11	Cheson et al., 2000, "Report of an international working group to standardize response criteria for myelodysplastic syndromes," Blood 96:3671-3674
	C12	Claessens et al., 2002, "In vitro proliferation and differentiation of erythroid progenitors from patients with myelodysplastic syndromes: evidence for Fas-dependent apoptosis," Blood 99:1594-1601
	C13	Corral et al., 1999, "Differential cytokine modulation and T cell activation by two distinct classes of thalidomide analogues that are potent inhibitors of TNF-alpha," J. Immunol. 163:380-386
	C14	Corral et al., 1999, Ann. Rheum. Dis. 58(Supp. I):1107-1113
	C15	Costa et al., 1998, <i>Blood</i> 92(10:suppl. 1):235b, Abstract #4007
ļ	C16	D'Amato et al., 1994, "Thalidoide is an inhibitor of angiogenesis," PNAS USA 91(9):4082-4085
	C17	Davies et al., 2001, "Thalidomide and immunomodulatory derivatives augment natural killer cell cytotoxicity in multiple myeloma," Blood 98:210-216
	C18	Deeg et al., 2002, "Soluble TNF receptor fusion protein (etanercept) for the treatment of myelodysplastic syndrome: a pilot study," Leukemia 16:162-164
<u> </u>	C19	Dexter, 1989, "Haemopoietic growth factors," Br. Med. Bull. 45(2):337-349
l	C20	Dexter, 1987, "Growth factors involved in haemopoiesis." J. Cell. Sci. 88 ( Pt 1):1-6
	C21	Dredge et al., 2002, "Novel thalidomide analogues display anti-angiogenic activity independently of immunomodulatory
		effects," Br. J. Cancer 87(10):1166-1172
1	C22	Ehrenpreis et al., 1999, "Thalidomide therapy for patients with refractory Crohn's disease: an open-label trial,"  Gastroenterology 117(6):1271-1277
	C23	Emens et al., 2001, "Chemotherapy: friend or foe to cancer vaccines?" Curr. Opin. Mol. Ther. 3(1):77-84
	C24	Gersuk et al., 1996, "Fas (CD95) receptor and Fas-ligand expression in bone marrow cells from patients with myelodysplastic syndrome," Blood 88(3):1122-1123
	C25	Goldberg et al., 2003, "Myelodysplastic subclones in chronic myeloid leukemia: implications for imatinib mesylate therapy," Blood 101:781
	C26	Goldberg et al., 1990, "Survey of exposure to genotoxic agents in primary myelodysplastic syndrome: correlation with chromosome patterns and data on patients without hematological disease," Cancer Res. 50(21):6876-6881
	C27	Greenberg et al., 1997, "International scoring system for evaluating prognosis in myelodysplastic syndromes," <i>Blood</i> 89(6):2079-2088
	C28	Gupta et al., 2001, "Adherences of multiple myeloma cells to bone marrow stromal cells upregulates vascular endothelial growth factor secretion: therapeutic applications," <i>Leukemia</i> 15:1950-1961
	C29	Handman et al., 1979, "Stimulation by granulocyte-macrophage colony-stimulating factor of Leishmania tropica killing by macrophages," <i>J. Immunol.</i> 122(3):1134-1137
	C30	Harris et al., 1999, "World Health Organization classification of neoplastic diseases of the hematopoietic and lymphoid tissues: report of the Clinical Advisory Committee meeting-Airlie House, Virginia, November 1997," <i>J. Clin. Oncol.</i> 17(12):3835-3849
	C31	Hellstrom-Lindberg et al., 1997, "Erythroid response to treatment with G-CSF plus erythropoietin for the anaemia of patients with myelodysplastic syndromes: proposal for a predictive model," Br. J. Haematol. 99:344-351
	C32	Hellstrom et al., 1990, "Treatment of myelodysplastic syndromes with recombinant human erythropoietin," Blood 76(Supp. 1):279a Abstract 1106
	C33	Jaffe et al., eds., 2001, "World Health Organization classification of tumours: pathology and genetics of tumours of haematopoietic and lymphoid tissues," Lyon, France: IARC Press pp. 61-74
	C34	Kaplan et al., 1958, "Nonparametric estimation from incomplete observations," J. Am. Stat. Assoc. 53:457-481
	C35	Kitagawa et al., 1997, "Overexpression of tumor necrosis factor (TNF)-α and interferon (INF)-γ by bone marrow cells from patients with myelodysplastic syndromes," Leukemia 11:2049-2054
	C36	Koch, 1985, "Thalidomide and congeners as anti-inflammatory agents," <i>Prog. Med. Chem.</i> 22:165-242
	C37	Kropff, 2000, Blood 96(11 part 1):168a, Abstract #725
		<u> </u>

Sheet 5 of 7 Application No.: 10/531,552

	Application No.: 10/531,552
C3	
	stimulating factor(s) distinct from effects on myeloid progenitor cell proliferation," <i>Proc. Natl. Acad. Sci. USA</i> 76(5):2326-2330
C3	Lentzsch et al., 2003, "Immunomodulatory analogs of thalidomide inhibit growth of Hs Sultan cells and angiogenesis in vivo," Leukemia 17(1):41-44
C4	71 - 1 0005 (FDC) - C7 - 111 - 111 - 1 1 1 1 1 1 1 1 1 1 1 1
C4	List et al., 2004, "Myelodysplastic syndromes," Wintrobe's Clinical Hematology, 11 <sup>th</sup> ed., Philadelphia: Lippincott Williams & Wilkins pp. 2207-2234
C4	List et al., 2004, "Vascular endothelial growth factor receptor-1 and receptor-2 initiate a phosphatidylinositide 3-kinase-dependent clonogenic response in acute myeloid leukemia cells," Exp. Hematol. 32:526-535
C4	abolishing cytokine-induced p13 kinase/akt activation," Blood 100(11):139a, Abstract #521
C4	Maciejewski et al., 2002, "A pilot study of the recombinant soluble human tumour necrosis factor receptor (p75)-Fc fusion protein in patients with myelodysplastic syndrome," Br. J. Haematol. 117:119
C4	McCann, 1999, <i>Drug Topics</i> pp. 41-42 (June 21, 1999)
C4	The Merck Manual, 1999, 17 <sup>th</sup> ed., pp. 953-955
C4	Metcalf, 1985, "The granulocyte-macrophage colony-stimulating factors," Science 229(4708):16-22
C4	Moller et al., 1997, "Inhibition of IL-12 production by thalidomide," J. Immunol. 159(10):5157-5161
C4	Moore, 1991, "The clinical use of colony stimulating factors," Ann. Rev. Immunol. 9:159-191
C5	Moore et al., 1980, "Production of lymphocyte-activating factor (Interleukin 1) by macrophages activated with colony-stimulating factors," <i>J. Immunol.</i> 125(3):1302-1305
C5	
C5	N. 1. 1000 (/. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
C5	1.6 1.1 1.000 pt. 104 14
C5	Ogawa, 1989, "Hemopoietic stem cells: stochastic differentiation and humoral control of proliferation," <i>Environ. Health Perspect.</i> 80:199-207
C5	T 10 1 100 100 100 100 100 100 100 100 1
C5	
C5	Physicians' Desk Reference, 2002, 56the ed. pp. 582-592, 1154-1158, 1755-1760
C5	Blood 88:4275-4287
C5	with Myelodysplastic Syndromes," Blood 98(4):958-965
C6	with myelodysplastic syndromes," Blood 86:268-276
C6	with relapsed multiple myeloma," Blood 100:3063-3067
C6	Haematol. 89:831-837
C6	marrow precursor, and relationship to mast cells," Proc. Natl. Acad. Sci. USA 78(1):323-327
C6	341(21):1565-1571
C6	macrophage growth factor," J. Exp. Med. 143(3):631-647
C6	
C6	Leukemia 16:785-790
C6	necrosis factor alpha production," PNAS USA 93:7552-7556
C6	cytometry," Blood 61(6):1232-1241
C7	separate colony-stimulating factors," J. Immunol. 130(2):795-799
C7	Vasiliauskas et al., 1999, "An open-label pilot study of low-dose thalidomide in chronically active, steroid-dependent Crohn's disease," Gastroenterology 117(6):1278-1287

Sheet 6 Of

Application No.: 10/531,552

C72	Weisbart et al., 1986, "Biosynthetic human GM-CSF modulates the number and affinity of neutrophil f-Met-Leu-Phe receptors," <i>J. Immunol.</i> 137(11):3584-3587
273	Wolff, ed., 1995, Burger's Medicinal Chemistry and Drug Discovery, 5th ed., pp. 172-178, 949-982
C74	Marriott et al., 2001, "Immunotherapeutic and antitumour potential of thalidomide analogues," <i>Expert Opin. Biol. Ther.</i> 1(4):675-682
C <b>75</b>	Muller et al., 1996, "Structural modifications of thalidomide produce analogs with enhanced tumor necrosis factor inhibitory activity," <i>J. Med. Chem.</i> 39(17):3238-3240
C76	Hideshima et al. 2000, "Thalidomide and its analogs overcome drug resistance of human multiple myeloma cells to conventional therapy," Blood 96(9):2943-2950
277	Baker, AF; Bellamy, WT; Glinsmann-Gibson, B; Heaton, R.; Buresh, A.; Grogan, TM; List, AF; "Biological response to Thalidomide in Remitting Patients with Myelodysplastic Syndrome (MDS) Evidence for Induction of Neoplastic Vascular Endothelial Growth Factor (VEGF) Resistance" Blood 2001; 98(11):353a-4a, Abstract #1490.
C78	List, AF; "Pharmacological Differentiation and Anti-Apoptic Therapy in Myelodysplastic Syndromes; "Forum Trends in Experimental and Clinical Medicine," 9:35-45,1999.
C79	List, AF; Brasfield, F.; Heaton, R.; Glinsmann-Gibson, B.; Crook, L.; Taetle, R.; Capizzi, R.; "Stimulation of Hematopoiesis by Amifostine in Paitents with Myelodysplattic Syndrom. Blood 1997; 90(9): 3364-9.
C80	List, AF; "New Approaches to the Treatment of Myelodysplastia," The ONcologist 2002; 7 Suppl. 1:39-49.
C81	Thomas, D.A., Aguayo, A., Estey, E., Albitar, M., O'Brien, S., Giles, F.J., Beran, M., Cortes, J., Zeldis, J., Keating, M.J., Barlogie, B., Kantarjian, H.M., Thalidomide as anti-angiogenesis therapy (rx) in refractory or relapsed leukemia. Abstract #2269, American Society of Hematology, December 3-7, 1999.
C82	Raza, A., Lisak, L., Andrews, C., Little, L., Muzammil, M., Alvi, S., Mazzoran, L., Zorat, F., Akber, A., Ekbal, M., Razvi, S., Venugopal, P., 2001. "Thalidomide produces transfusion independence in patients with long-standing refractory anemias and myelodysplastic syndromes (MDS)." Blood 98(4):958-965.
C83	Raza, A., Lisak, L., Andrews, C., Little, L., Zorat, F., Shetty, V., Alvi, S., Mundle, S., Allampallam, K., Durandt, M., Ekbal, M., Muzammil, M., Encouraging improvement in cytopenias of patients with myelodysplastic syndromes (MDS) with thalidomide. Abstract #111, Amer. Soc. of Clinical Oncology, May 20-23, 2000.
C84	Raza, A., Lisak, L., Little, L., Dean, L., Gezer, S., Venugopal, V., Summary and future direction of anti-tumor necrosis factor (TNF) therapies in myelodysplastic syndromes (MDS). Abstract #2700, American Society of Hematology, May 12-17, 2001.
C85	Mundle, S., Zorat, F., Shetty, V., Allampallam, K., Alvi, S., Lisak, L., Little, L., Dean, L., Nascimben, F., Ekbal, M., Durandt, M., Broderick, E., Venugopal, P., Raza, A., Thalidomide in myelodysplasia. Abstract #626, American Society of Hematology, December 1-5, 2000.
C86	Raza, A., Lisak, L., Little, L., Ekbal, M., Durandt, M., Ali, E., Nascimben, F., Tareen, M., Venugopal, P., Thalidomide as a single agent or in combination with topotecan, pentoxifylline and/or enbrel in myelodysplastic syndromes (MDS). Abstract #627, American Society of Hematology, December 1-5, 2000.
C87	Estey, E., Albitar, M., Cortes, J., Giles, F., Thomas, D., Koller, C., Beran, M., Kantarjian, H., Addition of thalidomide(T) to chemotherapy did not increase remission rate in poor prognosis AML/MDS. Abstract #1394, American Society of Hematology, December 1-5, 2000.
C88	Alvi, S., Henderson, B., Shaher, A., Dangerfield, B., Broderick, E., Jafri, N., Tareen, M., Durandt, M., Galili, N., Borok, R.Z., Raza, A., Determination of clonality in stromal and parenchymal cells pre and post thalidomide treatment in myelodysplasia. Abstract #1536, American Society of Hematology, December 1-5, 2000.
C89	Alvi, S., Shaher, A., Henderson, B., Dar, S., Zorat, F., Broderick E., Lisak, L., Durandt, M., Reddy, P., Mundle, S., Galili, N, Borok, R.Z., Raza, A., Improved growth of stromal cells in long term bone marrow cultures (LTBMC) of myelodysplastic syndrome (MDS) patients treated with thalidomide. Abstract #1547, American Society of Hematology, December 1-5, 2000.
C90	Dourado, C. Mc., Seixas-Silva Jr., J.A., Besa, E.C., Response to thalidomide in 9 patients with myelodysplastic syndromes: A promising treatment for early or post-chemotherapy in late forms of MDS. Abstract #4855, American Society of Hematology, December 1-5, 2000.
C91	Lisak, L.A., Little, L., Dean, L., Ekbal, M., Durandt, M., Hussain, M., Kaistha, V., Raza, A., Delayed responses to thalidomide in patients with myelodysplastic syndromes. Abstract #4861, American Society of Hematology, December 1-5, 2000.
C92	Anders, O., Plath, F., Emmrich, J., Freund, M., Complete remission of therapy-resistant angiodysplasia of the stomach in myelodysplastic syndrome following thalidomide. Abstract #3820, American Society of Hematology, December 7-11, 2001.
C93	Alvi, S., Shaher, A., Shaikh, M., Anthwal, S., Siddiqi, F., Akhtar, A., Ashraf, H., Meager, R., Mundle, S., Shetty, V., Goldberg, C., Galili, N., Borok, R.Z., Raza, A., MDS patients with hematological response to thalidomide show enhanced in vitro growth potential. Abstract #1482, American Society of Hematology, December 7-11, 2001.
C94	Alvi, S., Shaikh, M., Anthwal, S., Shaher, A., Tamoseviciene, D., Novick, A., Reddy, P., Allampallam, K., Hsu, W.T., Galili, N., Borok, R.Z., Raza, A., Cytogenetic and clonal profile of myelodysplastic syndromes (MDS) patients treated with thalidomide. Abstract #1483, American Society of Hematology, December 7-11, 2001.
C95	Alvi, S., Anthwal, S., Shaikh, M., Shaher, A., Shetty, V., Mundle, S., Reddy P., Allampallam, K., Bi, S., Zorat, F., Tamosveiciene, D., Rasila, K., Meagher, R., Westbrook, C., Galili, N., Gezer, S., Venugopal, P., Borok, R.Z., Raza, A., Thalidomide significantly augments proliferation and cytokine secretion to bone marrow cultures established from myelodysplastic syndrome (MDS) patients. Abstract #1484, American Society of Hematology, December 7-11, 2001.
C96	Musto, P., Falcone, A., Bodenizza, C., Sanpaolo, G., Matera, R., Bisceglia, M., Carella, A.M., Thalidomide (THAL) significantly improves anemia in selected transfusion-dependent patients with myelodysplastic syndromes (MDS):
	C73 C74 C75 C76 C77 C78 C78 C80 C81 C82 C83 C84 C85 C86 C87 C88 C89 C90 C91 C92 C93 C94 C95

Sheet 7 of 7

	Application No.: 10/531,552
	relationship to serum and marrow levels of angiogenetic growth factors (AGF). Abstract #2606, American Society of Hematology, December 7-11, 2001.
C97	Fabbri, A., Biscardi, M., Innocenti, F., Balestri, G., Gavazzi, S., Bellesi, G., Grossi, A., Thalidomide in combination with Amifostine in the treatment of MDS: evaluation of clinical and laboratory findings. Abstract #4819, American Society of Hematology, December 7-11, 2001.
C98	Raza, A., Lisak, L., Dutt, D., Dean, L., Fantroy, L., Ali, E., Gezer, S., Hsu, W-T., Goldberg, C., Loew, J., Venugopal, P., Combination of thalidomide with pentoxifylline, ciprofloxacin, and dexamethasone (PCD) in patients with myelodysplastic syndromes (MDS). Abstract #4830, American Society of Hematology, December 7-11, 2001.
C99	Raza, A., Dutt, D., Lisak, L., Dean, L., Fantroy, L., Gezer, S., Ali, E., Goldberg, C., Loew, J., Hsu, W-T., Venugopal, P., Combination of thalidomide and enbrel for the treatment of patients with myelodysplastic syndromes (MDS). Abstract #4831. American Society of Hematology, December 7-11, 2001.
. C100	Shetty, V., Allampallam, K., Hussaini, S., Townsend, W., Dutt, D., Mundle, S., Alvi, S., Reddy, P.L., Ashraf, H., Galili, N., Saberwal, G.S., Anthwal, S., Shaikh, M.W., Heidelberg, A., Lisak, L., Gezer, S., Venugopal, P., Raza, A., Effects of anticytokine agents on apoptosis, proliferation, monocyte/macrophage number, microvessel density and cytokines following two successive clinical trials in 57 patients with myelodysplastic syndromes (MDS). Abstract #4837. American Society of Hematology, December 7-11, 2001.
C101	Barlogie, B., Desikan, R., Munshi, N., Siegel, D., Mehta, J., Singhal, S., Anaissie, E., Single Course D.T. Pace Anti-Angiochemotherapy Effects CR in Plasma Cell Leukemia and Fulminant Multiple Myeloma (MM). Abstract #4180. American Society of Hematology, December 4-9, 1998.
C102	Hideshima, T., Chauhan, D., Shima, Y., Noopur, R., Davies, F.E., Tai, Y., Treon, S.P., Lin, B.K., Schlossman, R.L., Richardson, P.G., Gupta, D., Muller, G.W., Stirling, D.I., Anderson, K.C., Thalidome (THAL) and its Analogs Overcome Drug Resistance of Human Multiple Myeloma (MM) Cells to Conventional Therapy. Abstract #1313. American Society of Hematology, December 1-5, 2000.
C103	Payvandi, F., Wu, L., Gupta, D., Hideshima, T., Haley, M., Muller, G., Chen, R., Anderson, K.C., Stirling, D., Effects of a Thalidomide Analog on Binding Activity of Transcription Factors and Cell Cycle Progression of Multiple Myeloma Cell Lines. Abstract #2487. American Society of Hematology, December 1-5, 2000.
C104	Davies, F.E., Raje, N., Hideshima, T., Lentzsch, S., Young, G., Tai, Y., Lin, B.K., Podar, K., Chauhan, D., Treon, S.P., Gupta, D., Mitsiades, C., Mitsiades, N., Hayashi, T., Richardson, P.G., Schlossman, R.L., Muller, G.W., Stirling, D. I., Anderson, K.C., Thalidomide (THAL) and Immunomodulatory Derivatives (IMiDS) Augment Natural Killer (NK) Cell Cytotocixity in Multiple Myeloma (MM). Abstract #3617. American Society of Hematology, December 1-5, 2000.
C105	Hideshima, T., Chauhan, D., Castro, A., Hayashi, T., Mitsiades, C., Mitsiades, N., Akiyama, M., Richardson, P.G., Schlossman, R.L., Adams, J., Anderson, K.C., NF-KB as a Therapeutic Target in Multiple Myeloma (MM). Abstract #1581. American Society of Hematology, December 7-11, 2001.
C106	Lentsch, S., Rogers, M., Leblanc, R., Birsner, A., Shah, J., Anderson K., D'Amato R., 3-Amino-Phthalimido-Glutarimide (S-3APG) Inhibits Angiogenesis and Growth in Drug Resistant Multiple Myeloma (MM) in vivo. Abstract #1976, American Society of Hematology, December 7-11, 2001.
C107	Park, Y., Kim, S.A., Kim, C.J., Chung, J.H., Mechanism of the Effect of Thalidomide on Human Multiple Myeloma Cells. Abstract #2685. American Society of Clinical Oncology, May 12-17, 2001.

EXAMINER	DATE CONSIDERED
----------	-----------------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.